



DL-040297_01

Corporate Headquarters, Suite 100, 147 11th Avenue
South Charleston, West Virginia 25303 (304) 744-6800 FAX (304) 744-6899

Facsimile Communication

TO: Ms. Diane Heim
FROM: M.W. Samples *[Signature]*
DATE: 4/2/97

Number of pages 7 (including this cover sheet)

COMMENTS: Ray Daniels of our Northern Division indicated this morning that you had not yet received our request for termination of our "Materials License" that was mailed last week. As a consequence, a copy follows this cover sheet.

This will be followed by copy through the mail.

This will not be followed by copy through the mail.
Please request a mailed copy if so desired.

This facsimile transmission is legally privileged and confidential information intended for the addressee named above. Any review, dissemination, or use of this information by persons other than addressee is strictly prohibited. All analytical reports, interpretations or data contained herein are preliminary information only. Problems inherent in fax technology prohibits Standard Laboratories, Inc. from guaranteeing or assuming any responsibility for the transmission of the following information. If you have received this facsimile in error, please notify us immediately by telephone at the number listed above. Thank you.

30441

CONVERSATION RECORD

TIME

DATE

2/28/97

TYPE

 VISIT CONFERENCE TELEPHONE INCOMING OUTGOING

ROUTING

NAME/SYMBOL | IN

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

Ray Daniels

ORGANIZATION (Office, dept. bureau, etc.)

Standard Laboratories

TELEPHONE NO.

304-744-6800

SUBJECT

License #47-25201-01

Fee due (issuance of order)

SUMMARY

In response to e-mail received from Linda Mitchell, Fees, I called Standard Labs and talked to Ray Daniels, Lab. Manager. He said that he thought that Mick Samples Vice-President of the company had been involved with the NRC in regard to terminating the license as they no longer have the gauges. He thought this had been done about two years ago. He knew nothing of the invoices but said he hoped Mr. Samples would have copies of all the correspondence. Mr. Samples will be in on Monday so told him we would be in touch with him then. I also talked with Ron Coster, the financial officer and he didn't know anything about the fee due and wasn't even aware that they didn't have the gauges any more.

I faxed the forms to terminate the license to Mr. Daniels and told him we needed to resolve this issue as soon as possible and that I would pass the information on to our Fees Branch.

3/3 Mick Samples said he would fax form forms to me and called Linda Mitchell re: fee due.
3/3 Will fax forms today! already paid fee due.

ACTION REQUIRED

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

DATE

ACTION TAKEN

SIGNATURE

TITLE

DATE

BETWEEN:

License Fee Management Branch, AFM
and
Regional Licensing Sections

(FOR LEMS USE)
INFORMATION FROM LITS

Program Code: 03121
Status Code: 0
Fee Category: 3P
Exp. Date: 2020531
Fee Comments:
Decom Fin Assur Req'd: N

LICENSE FEE TRANSMITTAL

A. REGION 1

1. APPLICATION ATTACHED

Applicant/Licensee: STANDARD LABORATORIES, INC.
Received Date: 970402
Docket No: 3032767
Control No.: 257441
License No.: 47-25201-01
Action Type: Termination

2. FEE ATTACHED

Amount: NONE
Check No.: _____

3. COMMENTS

Signed DIANE HEIN
Date 4/2/97

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered)

1. Fee Category and Amount: 3P 100.00

2. Correct Fee Paid. Application may be processed for: 100.00

Amendment
Renewal
License

3. OTHER

Signed Atla Puckson
Date 4/2/97

4/2/97
4/2/97