

Hato Rey Community Hospital

April 7, 1997

Mr. John Potter
Regional Administrator
United States Nuclear Regulatory Commission
Region II
101 Marietta Street, NW, Suite 2900
Atlanta, Georgia 30323

Re: License No. 52-17704-01

Dear Mr. Potter:

Pursuant to 10 CFR 35.1, it is hereby requested to amend our by product medical license to include Dra. Sandra C. García-López, Dra. Irma Molina-Vicenty and Dr. Carlos D. García-Rodríguez as Authorized Users Reference Items 5.a, 5.b, 5.c.

- Dra. Sandra C. Gracia-López is Authorized User under licenses (54-04359-01 and 52-11534-01).
- Dra. Irma L. Molina-Vicenty is Authorized User under licenses (52-04359-01 and 52-11534-01).
- Dr. Carlos D. Garcia-Rodríguez is Authorized User under licenses (52-04359-01 and 52-11534-01).
- Dr. Carlos D. García-Rodríguez is the Radiation Safety Officer as per 10 CFR 35.21.

In accordance with 10 CFR 170.31 (7c), we are enclosing check No. 45801 in the amount of \$440.00 to cover amendment fee.

We will appreciate indeed your prompt attention to this amendment application request.

Cordially yours,



Teodoro Muñoz, MHSA
Executive Director

Enclosure