

December 15, 1997

Communication Instruments, Inc.
ATTN: Michael A. Steinback
Chief Operating Officer
1 Genicom Drive
Waynesboro, Virginia 22980-1999

**SUBJECT: TRANSMITTAL AND EXPLANATION OF AMENDMENT AND CORRECTED
COPY TO LICENSE NO. 45-06589-01 (REFERENCE CONTROL 257729;
DOCKET NO. 030-06588)**

Dear Mr. Steinback:

Enclosed is Amendment No. 19 to License No. 45-06589-01 which we have issued in response to your request dated November 24, 1997. Also enclosed is a corrected copy to the amendment in response to additional information received in your letter dated December 1, 1997. Please review this document carefully and be sure that you understand all conditions. If you have questions, please notify Ms. Diane Heim at (404) 562-4723.

This also confirms the commitment contained in your letter of November 25, 1997, not to commence work with licensed material until financial assurance is in place. We have received documents showing that the escrow agreement formerly held by Genicom has been transferred to Communications Instruments, Inc. We will review these documents and let you know our findings.

Please note that this amendment also extends the expiration date of your license to May 31, 2005. (See item 4)

As long as your license remains in force, you must conduct your program according to the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR 19, "Notice, Instructions and Reports to Workers; Inspections and Investigations," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify NRC, in writing, within 30 days:
 - a. when an authorized user or Radiation Safety Officer, permanently discontinues performance of duties under the license or has a name change; or
 - b. when the licensee's mailing address changes (no fee is required if the location of byproduct material remains the same).

3. In accordance with 10 CFR 30.36(d) and/or license condition, notify NRC, promptly, in writing, and request amendment or termination of the license:
 - a. when you decide to terminate all activities involving materials authorized under the license; or
 - b. when you decide to terminate licensed activities in a separate building or outdoor area identified on your license; or
 - c. if you decide not to complete the facility, acquire equipment, or possess and use authorized material.

4. Request and obtain a license amendment before you:
 - a. receive or use byproduct material for a purpose not permitted by your license;
 - b. permit any unauthorized person to perform work with licensed material;
 - c. permit any unauthorized person to work as Radiation Safety Officer on the license;
 - d. order byproduct material in excess of the amount, or a different radionuclide or form, other than authorized on the license;
 - e. add or change the areas of use or address (or addresses) of use identified in the license application or on the license; or
 - f. change ownership of your organization.

5. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. Transfer of licensed materials must be consistent with 10 CFR 30.41, 40.51 or 70.42, as applicable. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a Notice of Violation, or imposition of a Civil Penalty, or an order suspending, modifying or revoking your license as specified in the "General Statement of Policy

and Procedures for NRC Enforcement Actions," NUREG-1600, (7/95). Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken against those who do not achieve the necessary attention to detail and standard of compliance expected of licensees.

Thank you for your cooperation.

Sincerely,

Earl G. Wright, License Reviewer
Division of Nuclear Materials Safety

- Enclosures: 1. Amendment No. 19 License No. 45-08529-01
2. Corrected Copy of Amendment No. 19
3. NRC Form 313

OFFICE	As-DNAIS	As-DNAIS				
SIGNATURE	EGWright	TRDecker				
NAME	<i>EGW</i>	<i>JH</i>	<i>CP</i>			
DATE	12 / 1 / 97	12 / 15 / 97	12 / 16 / 97	12 / 1 / 97	12 / 1 / 97	12 / 1 / 97
COPY?	YES NO	YES <input checked="" type="checkbox"/> NO	YES <input checked="" type="checkbox"/> NO	YES NO	YES NO	YES NO

OFFICIAL RECORD COPY DOCUMENT NAME G:\DNMS\COVLTR\257729 EGW

MATERIALS LICENSE

Amendment No. 19

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	In accordance with the letter dated November 24, 1997
1. Communications Instruments, Inc. (Formerly GENICOM Corporation)	3. License Number 45-06589-01
2. 1 Genicom Drive Waynesboro, Virginia 22980-1999	is amended in its entirety to read as follows:
	4. Expiration Date May 31, 2005 (Extended)
	5. Docket or Reference No. 030-06568

6. Byproduct, Source, and/or Special Nuclear Material	7. Chemical and/or Physical Form	8. Maximum Amount that Licensee May Possess at Any One Time Under This License
A. Krypton 85	A. Gas	A. 1.85 terabecquerels (50 curies)
B. Krypton 85	B. Sealed sources	B. Not to exceed 37 megabecquerels (1 millicurie) per vial

9. Authorized Use:

- A. Storage in D.O.T. approved shipping containers, loading into and use in Radiflo Mark V for leak testing of parts and components
- B. Instrument calibrations.
- C. Notwithstanding the provisions of items 9.A and 9.B above, the licensee may not load and use licensed material in the Radiflo Unit until financial assurance meeting the requirements of 10 CFR 30.35 has been obtained.

CONDITIONS

- 10. Licensed materials shall be used only at the facilities at 1 Genicom Drive, Waynesboro, Virginia.
- 11. The Radiation Safety Officer for the activities authorized by this license is Wayne H. Wymer and in his absence, Andrew L. Ringgold.

MV 10



**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number 45-06589-01

Docket or Reference Number 030-06568

Amendment No. 19

CONDITIONS

Continued -

12. Licensed materials shall be used by, or under the supervision of:

	<u>Name</u>	<u>Job Status</u>
A.	D. Brooks	Operator
B.	K. Cline	Assistant Radflo Safety Officer (ARSO)/Maintenance
C.	R. Holbert	Maintenance Technician
D.	D. Hopkins, Jr.	Cognizant Engineer
E.	S. Kee	Operator
F.	B. Ketterer	ARSO/Maintenance
G.	A. Ringgold	Alternate RSO/ Cognizant Engineer
H.	J. Sensabaugh	Maintenance Technician
I.	W. Wymer	Radiation Safety Officer (RSO)

13. Installation, relocation, initial testing, repair and servicing of the Radflo device shall be performed only by IsoVac Engineering Inc., K. E. Cline, B.E. Ketterer, A.L. Ringgold, W.H. Wymer, or by other persons specifically authorized by the Commission or an Agreement State to perform such services.

14. The licensee is authorized to release krypton-85 gas during normal operations of the Radflo unit provided the concentration of krypton-85 in air does not exceed the permissible concentrations specified in 10 CFR 20.1702 and/or 10 CFR 20.1301 as appropriate.

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated October 24, 1994 [Complete renewal package]
- B. Letters (and facsimiles, as noted) dated (or received, as noted):
1. May 22, 1995 [Additional response]
 2. July 23, 1997 [Change RSO, add and delete personnel]
 3. October 7, 1997 [Training certificates and class rosters]
- C. Letters dated November 24, 1997 and November 25, 1997 [Change of ownership/licensee name change/commitment not to use licensed material until a financial assurance instrument is in force.]

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

DATE

NOV 23 1997

BY

EARL G. WRIGHT

Earl G. Wright

Region II, Division of Nuclear Materials Safety
Atlanta Federal Center
61 Forsyth Street SW, Suite 23T85
Atlanta, Georgia 30303-3415

N:\MLICENSE\45-06589.A19

MATERIALS LICENSE

Amendment No. 19

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter 1, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Communications Instruments, Inc. (Formerly GENICOM Corporation)</p> <p>2. 1 Genicom Drive Waynesboro, Virginia 22980-1999</p>	<p>In accordance with the letter dated November 24, 1997</p> <p>3. License Number 45-06589-01</p> <p>is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration Date May 31, 2005 (Extended)</p> <hr/> <p>5. Docket or Reference No. 030-06568</p>
---	--

6. Byproduct, Source, and/or Special Nuclear Material	7. Chemical and/or Physical Form	8. Maximum Amount that Licensee May Possess at Any One Time Under This License
A. Krypton 85	A. Gas	A. 1.85 terabecquerels (50 curies)
B. Krypton 85	B. Sealed sources	B. Not to exceed 37 megabecquerels (1 millicurie) per vial

9. **Authorized Use:**
- A. **Storage in D.O.T. approved shipping containers, loading into and use in Radiflo Mark V for leak testing of parts and components**
 - B. **Instrument calibrations.**
 - C. **Notwithstanding the provisions of items 9.A and 9.B above, the licensee may not load and use licensed material in the Radiflo Unit until financial assurance meeting the requirements of 10 CFR 30.35 has been obtained.**

CONDITIONS

- 10. **Licensed materials shall be used only at the facilities at 1 Genicom Drive, Waynesboro, Virginia.**
- 11. **The Radiation Safety Officer for the activities authorized by this license is Wayne H. Wymer and in his absence, Andrew L. Ringgold.**

Mikdo

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number 45-06589-01

Docket or Reference Number 030-06568

Amendment No. 19

CONDITIONS

Continued -

12. Licensed materials shall be used by, or under the supervision of:

	<u>Name</u>	<u>Job Status</u>
A.	D. Brooks	Operator
B.	K. Cline	Assistant Radio Safety Officer (ARSO)/Maintenance
C.	R. Holbert	Maintenance Technician
D.	D. Hopkins, Jr.	Cognizant Engineer
E.	S. Kee	Operator
F.	B. Ketterer	ARSO/Maintenance
G.	A. Ringgold	Alternate RSO/ Cognizant Engineer
H.	J. Sensabaugh	Maintenance Technician
I.	W. Wymer	Radiation Safety Officer (RSO)

13. Installation, relocation, initial testing, repair and servicing of the Radio device shall be performed only by IsoVac Engineering Inc., K. E. Cline, B.E. Ketterer, A.L. Ringgold, W.H. Wymer, or by other persons specifically authorized by the Commission or an Agreement State to perform such services.

14. The licensee is authorized to release krypton-85 gas during normal operations of the Radio unit provided the concentration of krypton-85 in air does not exceed the permissible concentrations specified in 10 CFR 20.1702 and/or 10 CFR 20.1301 as appropriate.

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated October 24, 1994 [Complete renewal package]
- B. Letters (and facsimiles, as noted) dated (or received, as noted):
 - 1. May 22, 1995 [Additional response]
 - 2. July 23, 1997 [Change RSO, add and delete personnel]
 - 3. October 7, 1997 [Training certificates and class rosters]
- C. Letters dated November 24, 1997 and November 25, 1997 [Change of ownership/licensee name change/commitment not to use licensed material until a financial assurance instrument is in force.]

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

EARL G. WRIGHT

DATE NOV 23 1997

BY Earl G Wright

N:\MLICENSE\45-06589.A19

*Cam [unclear]
11/26/97*

Region II, Division of Nuclear Materials Safety
Atlanta Federal Center
61 Forsyth Street SW, Suite 23T85
Atlanta, Georgia 30303-3415